

ALPHABETICAL INDEX TO VOLUME 37

	Issue No.	Page No.		Issue No.	Page No.
<i>Acacia auriculiformis</i> — The chemithermo-mechanical pulping of <i>Ac. auriculiformis</i> for the use as a raw material for newsprint.....	8	658	Fibres and fines of some radiata pine corewood and slabwood thermomechanical and refiner-mechanical pulps	8	650
Adhesion — The diffusion theory of, applied to interfibre bonding — The structure and properties of paper Part XXI.....	7	580	Fermentation substrates, Explosion pretreatment of <i>Pinus radiata</i> woodchips for the production of	8	644
Alkaline pulping of hardwood and hardwood-softwood mixtures.....	9	723	Fibres and fines fraction of stone and pressure groundwood from radiata pine	2	145
Appita — L.R. Benjamin Medal 1983	1	11	Fibres and fines — Physical characteristics of the fibres and fines of radiata pine mechanical pulp: thermomechanical fibres from young wood ..	1	35
Appita '84, Welcome to	6	459	Fibre flocs in a flowing pulp suspension, Formation and destruction of	3	223
The Australian Industry — future directions and challenges — the opening paper at the 38th Appita Annual General Conference presented by S.D.M. Wallis	8	625	Fibres — Treatment of fibres with aluminium hydroxide gel, Improved wet strength and stiffness of paper	1	29
Batch digester computer control system, Commissioning and optimization of a	7	576	Fire damaged plantation pine, Recovery of chips from, by a novel water blasting technique	5	387
Blade coating — High solids, high speed blade coating, An investigation of the suitability of an Australian kaolin for	1	41	Formation and destruction of fibre flocs in a flowing pulp suspension	3	223
Cationic pulp by means of substantively 'fixed' aluminium	5	409	Forestry and forest based industries, The potential effect of salvage operations on	5	414
Changing from 20°C/65% rh to 23°C/50% rh as a standard test atmosphere	3	215	From the President	3	195
Chemical composition of <i>Eucalyptus globulus</i> lab The chemithermochemical pulping of <i>Acacia auriculiformis</i> for the use as a raw material for newsprint	8	661	Hardness testing of rubber covered rolls — an alternative method	3	209
Chip refining, Possibilities for reduction of energy requirements during chip refining	8	658	Hardwood and hardwood-softwood mixtures, Alkaline pulping of	9	723
Commissioning and optimization of a batch digester computer control system	6	496	Hardwoods from temperate and tropical zones, Pitch problems and their control in kraft mills using, a literature survey	6	479
A comparison of the Lampen and PFI mills	7	576	Headbox — Stepping up to a hydraulic headbox ..	2	126
A comparison of three methods for determining the edgewise compressive properties of paperboard	1	53	The Industry in South Australia, The effect of Ash Wednesday's fires on the	6	461
Computer control in the pulp and paper industry ..	4	307	Influence of the rate of tree growth on the anatomy of eucalypt species	3	231
Computer control system — batch digester, Commissioning and optimization of a	2	150	Influence of wood quality characteristics on TMP and RMP from New Zealand-grown radiata pine ..	5	400
CSIRO serving the forest industry	7	576	Infrared generator, The drying of paper webs using a new	2	131
Delignification of <i>Eucalyptus diversicolor</i> , <i>E. regnans</i> , <i>E. marginata</i> and <i>E. tetrodonta</i> woods during kraft pulping, The rate of delignification of	2	116	Interfibre bonding, The diffusion theory of adhesion applied to — The structure and properties of paper Part XXI	7	580
Digester — Stress corrosion cracking in a kraft continuous digester — two important factors, electrochemical potential and residual stress level	4	314	An investigation of the suitability of an Australian Kaolin for high solids, high speed blade coating ..	1	41
The drying of paper webs using a new infrared generator	9	748	Kaolin — An investigation of the suitability of an Australian Kaolin for high solids, high speed blade coating	1	41
Edgewise compression of paperboard: a new concept of lateral support	2	131	Kraft pulping, The rate of delignification of <i>Eucalyptus diversicolor</i> , <i>E. regnans</i> , <i>E. marginata</i> and <i>E. tetrodonta</i> woods during	4	314
Edgewise compressive properties of paperboard, A comparison of three methods for determining the	2	137	Kraft pulp quality relationships, Radiata pine wood and	9	741
Effects of press drying and chip destructuring on the properties of sheets from eucalypt pulps ..	4	307	Lampen and PFI mills, A comparison of	1	53
The effect of Ash Wednesday's fires on the future of the industry in South Australia	6	484	Large attendance at 38th Annual General Conference	7	549
Effluents — pulp and paper mills, Water quality improvement by aquatic plants	6	461	A log resource allocation model to assist forest industry managers in process selection and location, wood allocation and transportation and production planning	4	289
Energy plant, Port Huon	4	303	The long production line	9	708
Energy requirements during chip refining, Possibilities for reduction of	2	142	Low sulphidity — AQ additive pulping of hardwood and softwood mixtures [<i>Eucalyptus tetericornis</i> : <i>Pinus roxburghii</i> (70:30)]	1	70
Eucalypt pulps, Effects of press drying and chip destructuring on the properties of sheets from ..	6	496	A machine for destructuring wood chips by rolling	1	65
Eucalypt species, Influence of the rate of tree growth on the anatomy of	6	484	Maintenance management — what it can mean to industry	9	710
<i>Eucalyptus globulus</i> lab, Chemical composition of	3	231	A management decision support system for process selection and log and wood residue allocation for the new crop radiata pine in New Zealand	3	219
Explosion pre-treatment of <i>Pinus radiata</i> woodchips for the production of fermentation substrates	8	661	Maryvale's new kraft pulp mill	8	628
Factors affecting the performance of polyamide type wet strength resins	8	644	Measuring the effectiveness of talc for pitch control	9	733
	3	233	Mechanical pulps, A method for testing	2	159

	Issue No.	Page No.		Issue No.	Page No.
A method for testing mechanical pulps	2	159	Process selection and log and wood residue allocation for the new crop radiata pine in New Zealand, A management decision support system	3	219
Modelling the planning and control of wood flow Neutral sulphite-anthraquinone pulping of corewood and slabwood samples of new crop <i>Pinus radiata</i>	8	641	Prospects for non-wood fibres in Pulp and Paper Industries in Thailand	5	365
New crop <i>Pinus radiata</i> , Neutral sulphite-anthraquinone pulping of corewood and slabwood samples	7	560	Pulp and Paper Industries in Thailand, Prospects for non-wood fibres	5	365
New crop radiata pine in New Zealand, A management decision support system for process selection and log and wood residue allocation for	7	560	The pulp and paper industry, Computer control in Pulping of hardwood and softwood mixtures [<i>Eucalyptus tetricornis</i> : <i>Pinus roxburghii</i> (70:30)], Low sulphidity — AQ additive pulping of	2	150
Newsprint, The chemithermomechanical pulping of <i>Acacia auriculiformis</i> for the use as a raw material for	3	219	Pulping — The soda-AQ semichemical pulping process	1	70
New Zealand's Central North Island Plantation Forests: Easter 1982, Storm Damage to	8	658	Pulps — papermaking, Plantation grown hardwoods as a source of	1	60
Non-wood fibres — Prospects for, Pulp and Paper Industries in Thailand	3	198	Pulps — Radiata pine mechanical pulps, Physical characteristics of the fibres and fines: thermo-mechanical fibres from young wood	4	280
Opening of new laboratories of CSIRO Division of Chemical and Wood Technology	5	365	Pulpwood potential of some fast growing tropical hardwoods	1	35
The opening paper at the 38th Appita Annual General Conference presented by S.D.M. Wallis — The Australian Industry — future directions and challenges	7	547	Pulpwood, The utilization of defective <i>Pometia pinnata</i> for	5	391
Paperboard, Edgewise compression of: a new concept of lateral support	8	625	Radiata pine corewood and slabwood thermo-mechanical and refinermechanical pulps, Fibres and fines of	7	587
Papermaking in Southern and South-East Asia and the Pacific region	2	137	Radiata pine, fibres and fines fraction of stone and pressure groundwood from	8	650
Paper industry, Starch in the	4	277	Radiata pine forests — South Australian, Planning the cut in	2	145
Paper, Press-dried	4	319	Radiata pine — New Zealand grown, Influence of wood quality characteristics on TMP and RMP from	9	729
Paper, Press drying of — an overview	5	361	Radiata pine wood and kraft pulp quality relationships	5	400
Paper — Wet strength and stiffness of paper by treatment of fibres with aluminium hydroxide gel	4	325	The rate of delignification of <i>Eucalyptus diversicolor</i> , <i>E. regnans</i> , <i>E. marginata</i> and <i>E. tetrodonta</i> woods during kraft pulping	9	741
Physical characteristics of the fibres and fines of radiata pine mechanical pulps: thermo-mechanical fibres from young wood	1	29	Raw materials for the pulp industry in Thailand, The potential of fast-growing trees as	4	314
Pine plantations — Australian, Wind, hail and snow damage in: types of damage, volumes of timber and options for salvage	1	35	Raw materials for wood-containing printing papers, Use of pilot equipment to evaluate	6	143
<i>Pinus radiata</i> woodchips for the production of fermentation substrates, Explosion pretreatment of	4	297	Recovery of chips from fire damaged plantation pine by a novel water blasting technique	5	379
Pitch control, Measuring the effectiveness of talc for	8	644	Recycled fibre: Recent work at Forest Products laboratory	5	387
Pitch problems and their control in kraft mills using hardwoods from temperate and tropical zones: a literature survey	9	733	RMP to TMP to meet a changing Japanese newsprint market	3	202
Plantation grown hardwoods as a source of papermaking pulps	6	479	Rubber covered rolls, Hardness testing of — an alternative method	6	502
Planning a multiple end use, multiple source wood flow	4	280	Salvage operations on forestry and forest based industries, The potential effect of	3	209
The planning and control of wood flow following a disaster	7	584	Size — The use of fluorochromic size for wax holdout	5	414
Planning the cut in South Australian radiata pine forests	8	637	The soda-AQ semichemical pulping process	1	49
Polyamide type wet strength resins, Factors affecting the performance of	1	60	South East Asian Co-operation Trust Fund	7	554
Port Huon energy plant	3	233	Standard test atmosphere, Changing from 20°C/65% rh to 23°C/50% rh	3	215
Possibilities for reduction of energy requirements during chip refining	2	142	Sterch in the paper industry	4	319
The potential effect of salvage operations on forestry and forest based industries	6	496	Stepping up to a hydraulic headbox	2	126
The potential of fast-growing trees as a raw material for the pulp industry in Thailand	5	414	Storm Damage to New Zealand's Central North Island Plantation Forests: Easter 1982	3	198
Press-dried Paper	6	463	Stress — corrosion cracking in a kraft continuous digester — two important factors, electrochemical potential and residual stress level	9	748
Press drying of paper — an overview	5	361	The structure and properties of paper Part XXI: The diffusion theory of adhesion applied to interfibre bonding	7	560
Presidential Address delivered by Mr D.A. Hardy at the 38th Annual Appita General Conference	4	325	Talc for pitch control, Measuring the effectiveness of	9	733
Pressure groundwood leads to more profitable papermaking	7	541	Testing — Hardness testing of rubber covered rolls — an alternative method	3	209
Process selection and location, wood allocation and transportation and production planning, A log resource allocation model to assist forest industry managers	3	237	Testing mechanical pulps, A method for	2	159
	4	289	Texpan — an innovative approach to the manufacture of particleboard and to the development of new products for the thin panel market	6	490

	Issue No.	Page No.
The thin panel market, Texpan — an innovative approach to the manufacture of particleboard and to the development of new products	6	490
The tide is at the flood	1	12
The tissue business — not really a mystery	1	15
TMP and RMP from New Zealand-grown radiata pine, Influence of wood quality characteristics	5	400
Tree growth on the anatomy of eucalypt species, Influence of the rate of	3	231
Tropical hardwoods — fast growing, Pulpwood potential of	5	391
The use of fluorochemical size for wax hold out ..	1	49
Use of pilot equipment to evaluate raw materials for wood-containing printing papers	5	379
The utilization of defective <i>Pometia pinnata</i> for pulpwood	7	587

	Issue No.	Page No.
Water quality improvement of pulp and paper mill effluents by aquatic plants	4	303
Wet strength and stiffness of paper by treatment of fibres with aluminium hydroxide gel	1	29
Wind, hail and snow damage in Australian pine plantations: types of damage, volumes of timber and options for salvage	4	297
Wood containing printing papers, Use of pilot equipment to evaluate raw material for	5	379
Wood chips — Destructuring wood chips by rolling, A machine for	1	65
Wood flow following a disaster, The planning and control of	8	637
Wood flow, Modelling the planning and control of	8	641
Wood flow, Planning a multiple end use, multiple source wood flow	7	584



Appita

To place a classified advertisement
call Ann Sykes at Appita
Headquarters (03) 347 2377.
The closing date of each issue is the
first of the preceding month.

Worldwide Service in Engineering & Construction
P.O. Box 101, Birmingham, Alabama 35201
(205) 930-1000, Telex 59-6158

RUST

Rust Overseas Inc.

A Subsidiary of Rust International Corporation

541 Orchard Rd. #09-04 Liat Towers, Singapore 0923
011-65-734-0131 Telex RS 33417 SINKEL

JAAKKO PÖYRY

JAAKKO POYRY INTERNATIONAL OY
P.O. Box 16,
SF-00401 HELSINKI 40, Finland
Tel: (358) (9)0-56 571
Telex: 121069 jpcn sf

JAAKKO PÖYRY (U.K.) LTD.
51, Aldwych,
LONDON WC2B 4AZ, U.K.
Tel: (44)(0)1-240-1391
Telex: 299882 timber g

JAAKKO POYRY PTY. LTD.
Level 29, City Mutual Building, 459 Collins Street,
MELBOURNE 3000, Victoria, Australia
Tel: (61)3-614 1207
Telex: melex aa 36632

**Consultants and engineers for pulp, paper
and wood industries all over the world**